STATEMENT OF WORK (SOW) for the INSPECT OR REPAIR ONLY AS NECESSARY (IROAN) of the SINCGARS ADAPTER, TEST SET NSN-6625-01-432-8368 ID# 09419B

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the IROAN) to IROAN the SINCGARS Adapter, Test Set, NSN 6625-01-432-8368. This document contains requirements to restore the SINCGARS Adapter, Test Set to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129

DoD Standard Practice: Military Marking for Shipment and Storage

2.2 Other Government Documents and Publications

Technical Manual-09419B-12/1

Operator's Manual

AG00000573

Special Packaging Instruction (SPI)

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

JESD625-A Requirements for Handling Electrostatic-

Discharge Sensitive (ESDS) Devices

ANSI/ISO/ASQC Q9001-2000 Quality Management Systems - Requirements

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for

Configuration Management Guidance

Copies of Military Specifications and Standards are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or on the Internet at http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Command, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 566-1, 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 REQUIREMENTS

- 3.1 The Contractor shall repair, test and certify the SINCGARS Adapter, Test Set in accordance with Technical Manual-09419B-12/1.
- 3.2 Tailor the Electrostatic discharge (ESD) work standard to current ESD Work Standard JESD625-A.
- 3.3 Quality acceptance and test procedures in accordance with Technical Manual-09419B-12/1.
- 3.4 Packaging, Handling, Storage, and Transportation (PHS&T)
- a. The contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this Statement of Work. Items scheduled for long-term storage or overseas shipment shall be in accordance with the requirements of Special Packaging Instruction (SPI) AG00000573 which may be obtained from Supply Chain Planning Department, Secondary Items Planning Branch, Attn: (Code 552-1), Suite 20320, 814 Radford Blvd., Albany, Georgia 31704-0320, commercial telephone number (229) 639-6786 or DSN 567-6786.

- b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.5 <u>Quality Assurance Provisions.</u> The contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems Requirements.
- 3.6 <u>Configuration Management</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement any changes to an item's documented performance or design characteristics without written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document."
- 3.7 Government Furnished Equipment (GFE) or Government Furnished Materiel (GFM). The Management Control Activity (MCA) (Code 581-1B) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel and Distribution Management Department, Distribution Management Branch, Management Control Activity (Code 581-1B), 814 Radford Blvd., STE 20320, Albany, Georgia 31704-0320 or faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing date zources, gathering and maintaining the date needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Department of Defense, Washington Headquarters Services, Directorate for Information Department of Department of Defense, Washington Leave 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any pensity of railing to comply with a collection of information if it does not display a currently valid OMB control number.

Please D0 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT	T	C. CATEGORY:						Ì
D CVCTEMITEM		TDP			MOTHER					i
D.SYSTEMMITEM SINCGARS ADAPTER, TEST		E. CONTRACT/PR NO.		r. CUNTR				i .		
1. DATA ITEM NO.	2. TITLE OF DATA ITEM	. SEI	1		3. SUBTITLE	£				17. PRICE GROUP
A001	Request For Deviation					Configuration Management				
4. AUTHORITY (Data Acquis	5. CONTRACT REFERENCE SOW 3.6			B. REQUIRING OFFICE MCLCA (566)				18. ESTIMATED TOTAL PRICE		
DI-CMAN-80640C 7. DD 250 REQ 9. DIST STATEMENT		10. FREQUEN	CY	12. DATE OF FIRST SUBMISSI	DN .	14. DISTRIBUTION				
LT	REQUIRED	A	ASREQ	Q See Blk 16		14. DISTRIBUTION	b. COPIES			
8. APP CODE		11. AS OF DA	TE	13. DATE OF SUBSEQUENT		a. ADDRESSEE	Final			
Α	Α			SUBMISSION			Draft	Reg	Repro	1 ¦
Blk 4 - RFDs sauthorized.	tractor format is		MCLCA (566-1)	0	1	0				
Block 4. RFD (.pdf) formated										
Block 4. RFD accompanying figures or graphics shall be created using a MICROSOFT or ADOBE formatted with a minimum density of 600 dpt.										
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.									_	
	•									İ
RFD submission/notification shall be sent to: smblogcomconfigmngmnt@logcom.usmc.mil										
Distribution Statement A: Approved for Public Release; Distribution is Unlimited.										
										}
										1
C DDCDARCD DV			U DATE	YADDON'S S	v	15. TOTAL	J. DAT	1	0	
G. PREPARED BY	grado Lale	1	9-10-0	3 Solut	+ B	Wath	J. DAT	19	03	
DD FORM 1423	1, AUG 96 (EG)			REVIOUS EDIT ON MAY BE	USED.	Professional	Page	of/	Pages	, 1

Designed using Perform Pro, WHS/DIOR, Aug 96